SUBJECT INDEX TO VOLUME 38

Accelerator
Energy deposition by calorimeter 931
Actinide
Oxide: comments on neutron yields 161†, 162†
Activation analysis
Alpha particle: use to determine traces of Nb in geological samples 939
Neutron: use for ultra tracer amounts of B and Li 735
Neutron: use to determine trace elements in urinary stones 635
Agaricus arvensis
Hyphae: identification of Cd binding compounds 431
Aggregate
Formation of HDEHP molecules 681
Alloy
Analysis by Rayleigh–Compton backscatter ratio method 139; Erratum 996
Alpha particle
Activation analysis for determining Nb traces in geological samples 939
Activity in sea sediment plutonium 295
Simultaneous counting with β-activity by liquid scintillation spectrometry and pulse shape analysis 875
Spectra: analytical function for fitting peaks 831
Spectrometry: use of thin plastic foils 1061
Aluminium
Determination in $^{111}InCl_2$ radiopharmaceuticals by flameless absorption spectrometry 751
Determination in ^{99}Mo–^{99m}Tc generator eluates 74*
Amang
Determination of radioactive equilibrium in samples using a solid state detector 143
Americium-241
Alpha particle spectrum: analytical function for fitting peaks 831
Decay: measurement of the 59.5 keV γ-ray emission probability 823
[1-^{11}C]Amino acid
Optimization of no-carrier added synthesis 97
D-Amino acid oxidase
Use in treatment of DL-[3-^{11}C]valine 655
Ammonia
^{13}N labelled: use as precursor for ^{13}N labelling 437
Antibiotic
Sterilization by γ-rays 71*
Antibody
Boronation with mercaptoundecahydro-closo-dodecaborate(2-) anion 503
^{111}In monoclonal preparations: quantification of DTPA for labelling 315*
Monoclonal: results and effects of ^{111}In labelling (in French) 751
Antithrombin III
Radioiodination conditions for retention of biological properties 1003
Apparatus
For expulsion of $^{14}CO_2$ from blood 577*
Ionization chamber: precision electronics 879
Karl Fischer: for water determination in lyophilized radiopharmaceutical kits 992*
Argon-41
Use as tracer to measure gas residence time in combustor 117
Autoradiography
Quantitation of ^{14}C whole body autoradiograms by densitometry 329
Barium-133
Correction factor for true activity 41
Beef
Electron and photon irradiated: measurement of induced radioactivity 507
Benzylidene diphosphonates
^{131}I labelled: synthesis and effect on bone metastases 535

*Signifies Technical Note.
†Signifies Letter to the Editor.

Beta particle
Emitter: calorimeter for activity measurement 845; correction 1094
Extended source simulation (in French) 1079
Mass attenuation coefficient: method of calculation 1027
Bismuth
^{206}Bi and ^{205}Bi(NCA): cyclotron production 129
Blood
$^{14}CO_2$ determination: expulsion apparatus 577*
Human platelet cells, ^{111}In labelled: study by application of sum peak method 123
Micronuclei in lymphocytes: radiation dose effect 241
Bone
Metastates: development of ^{131}I labelled diphosphonates for treatment 535
Uptake of ^{99m}Tc–Sn phosphonate complexes: effect of charge and tin ligand ratio 103
Book review
Concise nuclear isobar charts, nuclear ground states and low lying energy levels 321
Dosimetry of ionizing radiation 77
Introduction to radiological physics and radiation dosimetry 163
NRCP report 77: exposure from uranium series with emphasis on radon and its daughters 321
NRCP report 78: evaluation of occupational and environmental exposures to radon and its daughters in the U.S. 321
NRCP report 79: neutron contamination from medical electron accelerators 321
NRCP report 80: induction to thyroid cancer by ionizing radiations 321
NRCP report 81: carbon-14 in the environment 322
NRCP report 82: SI units in radiation protection and measurements 322
NRCP report 83: the experimental basis for absorbed dose calculations in medical uses of radionuclides 322
NRCP report 84: general concepts for the dosimetry of internally deposited radionuclides 322
Proceedings of the third working meeting on radioisotope application and radiation processing in industry 995
Boron
By neutron activation analysis and mass spectrometry of ^{3}He and ^{4}He 735
Neutron capture: potential use of mercaptoundeca hydro-closo-dodecaborate (2-) anion in antibodies 503
Brain imaging agents
Comparison of ^{99m}Tc–diethyldithiocarbamate (DDC) and ^{201}Tl DDC 665*
Synthesis and characterization of (*N*-piperidinylethyl) hexamethyldiamino-dithiolate–oxo–Tc(V) complexes 661
Bremmstrahlung
Energy deposition in multilayer target 349
Bromine -75, 76
Labelling procedures for use in PET radiopharmaceuticals 587
Buprenorphine
1-^{11}C labelled: preparation and use to study opiate receptor system 65*
Cadmium
Determination in $^{111}InCl_3$ radiopharmaceuticals by flameless atomic absorption spectroscopy (in French) 751
(n, p) (n, α) and (n, 2n) reaction cross sections for ^{108}Cd, ^{112}Cd and ^{116}Cd 989*
^{109}Cd: binding compounds in *Agaricus arvensis* hyphae 431
^{109}Cd standardization by a 4π e–x coincidence method 781
^{109}Cd standardization by a 4π (LS) e–x coincidence method 777
^{111m}Cd: half life 63*
Calcium
Ca(II): effect on mean size of ^{99m}Tc(Sn)MDP constituents 251
^{47}Ca decay: beta ray spectrum 839
Calorimeter
For measuring energy deposition and calibrating thin film dosimeter 931
For measurement of activity of ^{3}H and other β-emitters 845; correction 1094
Camera
Gamma: use in study of load movement in washing machines 7
Carbon
^{11}C: labelling procedures for use in PET radiopharmaceuticals 587
^{11}C: nitrogen gas target for high specific activity production 49
^{11}C and ^{14}C: recoil with inorganic compounds 415
^{14}C gaseous samples: measurement of radioactivity with position sensitive proportional counter 851
^{14}C: improvement of precision of gas proportional counting method by pulse shape discrimination technique 869

^{14}C: standard: determination of concentration by three methods 339
^{14}C standardization by liquid, scintillation coincidence counting 891
^{14}C whole body autoradiograms: quantitation 329
Carbon dioxide
^{14}C labelled: accurate determination after expulsion from blood 577*
^{14}C labelled: measurement in hyamine solution by liquid scintillation counting 489*
Catalyst
HZSM-5: effect on conversion of methanol to hydrocarbons 689
Cefamondole
Sterilization by γ-rays 71*
Cellulose acetate membrane
Use to remove radionuclides from liquid streams 971
Cellulose nitrate
Film: use to count α-tracks from sea sediment plutonium 295
Cerebrospinal fluid
Preparation of sample for PIXE analysis 573*
Cesium
^{134}Cs efficiency functions by $4\pi\beta-\gamma$ coincidence counting 793
^{137}Cs fallout: use to estimate soil erosion losses 451
Chlorine-38
Quantitative determination by gas chromatography 685
R(+)-7-chloro-8-hydroxy-3[^{11}C]methyl-1-phenyl-2,3,4,5-tetrahydro-^{1}H-3-benzazepine ([^{11}C]SCH 23390)
Synthesis 305*
Synthesis for Dopamine D_1 receptor studies 345
Chromate ions
Adsorption on chromium IV oxide powder: radiotracer study 541
Chromatography
Cation exchange to separate ^{82}Sr 175
Gas (two dimensional) for continuous enrichment of H isotopes 1047
Gel: use to analyse ^{99m}Tc(Sn)EHDP complexes 615
HPLC: use to determine ionization constants of radiopharmaceuticals 701
HPLC: use to separate 2-deoxy-2-[^{18}F]fluoromannose from 2-deoxy-2-[^{18}F]fluoroglucose 463
Quality control comparison of methods for ^{99m}Tc agents 283
Radio-gas technique for determination of ^{38}Cl 685
Radio-gas technique for studying conversion of methanol to hydrocarbons on HZSM-5 689
Chromium
Oxide: adsorption of chromate ions 541
^{51}Cr: correction factor calculation for true activity 41
Cobalt-60
Removal from effluent by reverse osmosis 971
Coincidence system
Electron-gamma: for the NPL double focussing iron free β-ray spectrometer 839
$4\pi\beta-\gamma$ with cumulative dead times: theory and capabilities 799
Contamination
Surface: accuracy of measurements 899
Copper
Determination in $^{111}InCl_3$ solution by flameless atomic absorption spectrometry (in French) 751
Counter
Efficiency tracing with ^{3}H 695
Liquid scintillation: development for continuous measurement of ^{125}I 571*
Liquid scintillation: energy distribution of β-flux in ^{90}Sr–Y dosimetry 455
Position sensitive, proportional
Characteristics 379
Elimination of end effect and partially resistive anode wire 371
Use for measurement of radioactivity of ^{14}C gaseous samples 851
Counting
Alpha and beta activities simultaneously 875
^{14}C gas proportional method: improvement 869
Cerenkov: to measure ^{90}Sr in reactor wastes 953
Coincidence: correction formula 385; Erratum 996
$\beta-\gamma$ Coincidence corrections: development of Cox–Isham theory 813
Coincidence measurements
Effect of two dead times in series 805
$4\pi\beta-\gamma$, by using a positive timed bidimensional data acquisition system 793

$4\pi\beta$–γ; use to standardize ^{201}Tl 771
4π (LS) e–x: use in standardization of ^{109}Cd 777
4π x–e: use in standardization of ^{109}Cd 781
4π (PC)-γ coincidence: variation of source efficiency for the extrapolation method 549
$4\pi\beta$ (PC)–γ coincidence equipment: data aquisition system at ENEA 857
Detection of drift using cusum method 301*
Determination of net count rates with proportional sources of the isotope 713
Elimination of end effect in gas counting 371
Liquid coincidence method: use for standardization of ^{14}C 891
Liquid scintillation
  Effect of non-uniform quencher distributions 335
  Efficiency for isomeric transition radionuclides 695
  Monitoring of tritium 492*
4π liquid scintillation: use to standardize ^{153}Sm 31
Live timed anticoincidence with extended dead time for standardization of ^{67}Ga 787
Photon–photon coincidence technique: use to standardize ^{125}I 763
$4\pi\beta$: use of thin polymer film as a source mount 887
Scintillation cocktails: comparison of alkyl benzene and detergent based types 629
Cox and Isham theory of coincidence corrections
  Development and extension to the computer discrimination method 813
Cusum technique
  Use to detect drift in radioactive counting 301*
Cyanide
  ^{11}C labelling from cyclotron produced $^{11}CO_2$ 1092*
Cyclotron
  Production of (NCA) ^{206}Bi and ^{205}Bi 129
  Production of (NCA) ^{100}Pd, ^{97}Ru and ^{101m}Rh 151*
Data aquisition system
  Development for $4\pi\beta$(PC)-γ-coincidence counting equipment and γ-ray spectrometer at ENEA 857
  Live timed bidimensional: use to determine efficiency functions 793
Dating
  Thermoluminescence: calibrations of β-dose 575*
Dead time
  Effect of two in series on coincidence measurements 805
Decay (see also Radioactive decay)
Densitometry
  Use in quantitation of ^{14}C whole body autoradiograms 329
2-Deoxy-2-[^{18}F]fluoro-D-glucose
  Contamination with 2-deoxy-2-[^{18}F]fluoro-D-mannose 463
Detector
  Electron: for use in standardization of ^{109}Cd 777
  LR 115 type II and CR 39 plastic track: response to Am-Be and 14.1 MeV neutrons 943
  Photon: review of efficiency 1
  4π-γ (Na(Tl)): use to determine ^{127}Xe activity 767
  Silicon: use to determine α-particle spectra 831
  Soda glass: response to accelerated heavy ions and cosmic ray heavy ions 967
  Solar panel for scattered x and γ-rays 1057
  Solid state nuclear track: use to determine radioactive equilibrium in amang samples 143
Deuterium
  Analysis in milligram water samples 713
  Dynamics of turnover in human body 1007
Diazomethane
  ^{11}C labelled: synthesis 669*
Di(2-ethyl hexyl)phosphoric acid (see also HDEHP)
  Aggregate behaviour in n-heptane 681
2,6-Diisopropyl IDA (DISIDA)
  ^{99m}Tc labelled: chemical and biological properties 35
Dimercaptosuccinic acid (DMSA)
  ^{99m}Tc(V) labelled: effect of pH on preparation 13
5-(3,3-Di[^{14}C]methyl-1-triaceno)-imidazol-4-carboxamide (decarbacine)
  Small scale preparation 485
Dithiol
  Use as spot reagent for determining specific activity of ^{99}Mo 149*
DNA
  Bound Auger electron emitter: high radiotoxicity and calculation of dose 407*

Dopamine
D_1 receptor antagonist: radiosynthesis 305*
D_1 receptor studies: synthesis of ^{11}C SCH 23390 345
Dosimeter
Ethanol chlorobenzene system for absorbed doses below 1 kGy 1019
Magnesium borate: response to u.v. radiation 313*
Thin film: calibration by calorimeter 931
Dosimetry
Absorbed dose calculations for ^{109}Pd and ^{166}Ho 745
Calculation of restricted dose mean LET of Auger electron emitters 407*
Measurements for ^{82}Rb: effect of decay scheme 185
Micronuclei assay: review 241
Model for ^{82}Sr/^{82}Rb generation elution profile 233
Of ^{90}Sr and ^{90}Y: spectroscopy with liquid scintillation system 455
Quantitation of ^{14}C whole body autoradiograms 329
DTPA
Quantification of labelling antibodies with ^{111}In 315*
Efficiency functions
Of ^{59}Fe and ^{134}Cs using a bidimensional data acquisition system 793
EHDP
Concentration: effect on size of ^{99m}Tc(Sn)–EHDP complexes 615
Electron
Auger emitters: calculation of restricted dose mean LET 407*
Energy deposition in multilayer target 349
Eluate
From ^{82}Rb generator: radioanalysis 219
Enzyme
D-Amino acid oxidase: use in treatment of [L-3-^{11}C]valine 655
Ergoline derivatives
^{125}I(iodo) and ^{75}Se(seleno): synthesis and biodistribution 391
Erythrocytes
Sheep: radioprotection by polyvinylpyrrolidone 147
Ethanol–chlorobenzene system
For measurement of absorbed doses below 1 kGy 1019
Europium
^{153}Eu: triple neutron capture in a reactor 513
^{154}Eu and ^{155}Eu: thermal neutron cross sections 513
Extrapolation
Curves: calculation in the $4\pi\beta$–γ coincidence method 41
Of linear efficiency in standardization of ^{125}I 763
Two dimensional technique for standardization of ^{201}Tl by $4\pi\beta$–γ coincidence method 771
Ferric nitrilotriacetate chelates
Radiolysis 985
Fibrinogen
^{111}In labelling and biochemical activity 1067
Film
Conducting, polymer: use as source mount for $4\pi\beta$ counting 887
[^{18}F]Fluoride
Production with a circulating [^{18}O]water target 979
Fluorine-18
Labelling procedures for use in PET radiopharmaceuticals 587
2-[^{18}F]Fluoro-2-deoxy-D-glucose
Production: recommended methods 605
5-[^{18}F]Fluoro-2′deoxyuride
Synthesis, automated 467
L-p-[^{18}F]Flurophenyl alanine
No-carrier added: synthesis 1033
Foil
Thin plastic: use in low level α-spectrometry 1061
Gallium
^{66}Ga: production from Cu target 499
^{67}Ga: standardization by live-timed anticoincidence counting with extending dead time 787
Gamma rays
Beam from ^{60}Co source: energy deposition in multilayer target 349
Effect on cefamondole and oxacillin 71*
59.5 keV emission probability in decay of ^{241}Am 823

Scattered: radiation monitoring by solar panel 1057
Spectrometer: data acquisition system at ENEA 857
Gas
^{3}H labelled: measurement with position sensitive proportional counter 371
Rare: recoil of radioactive C atoms 415
Residence time distribution in a pressurized fluidized-bed combustor 117
Sample, ^{14}C labelled: measurement of radioactivity with position sensitive proportional counter 851
Gel
Zirconium–[^{99}Mo]molybdate: evaluation as generator for ^{99m}Tc 19
Zr–Mo: use as high activity generator for ^{99m}Tc 25
Generator
Hydrous tin (IV) oxide: ^{82}Sr/^{82}Rb continuous elution: preparation and evaluation 213
^{99}Mo–^{99m}Tc eluate: determination of aluminium 74*
^{81}Rb/^{81m}Kr: use of zirconium phosphate as sorbent 623
^{82}Rb: essentials for nuclear medicine 205
^{82}Rb eluate: radioanalysis 219
^{82}Sr–^{82}Rb
Clinical uses 171
Elution profiles: dosimetry and radioassay 233
For clinical use 227
^{99m}Tc, high activity: use for Zr–molybdate gel 25
^{99m}Tc: use of zirconium molybdate gel-evaluation 19
Glucose
^{11}C labelled: preparation by photosynthesis 475
Glycine
^{11}C labelled: synthesis and use for PET 729
Gold-195
Correction factor for true activity 41
Half life
Of ^{111m}Cd, ^{113m}In and ^{115m}In 63*
Of ^{82}Rb 191
Of ^{82}Sr 193, 195
Of tritium by ^{3}He growth 959
Helium-3
Growth: use to measure tritium half life 959
Holmium-166
Radiation absorbed dose calculations for use in synoviotherapy 745
Hospital
U.K.: survey of surface contamination in 1986 899
Human body
Deuterium turnover 1007
Hydrocarbon
^{38}Cl labelled: preparation and detection by radio-gas chromatography 685
Hydrogen
Isotopes: continuous enrichment by two dimensional gas chromatography 1047
Hydrogen cyanide
^{11}C labelled: optimization of production 97
α-Hydroxyisobutyric acid
Use as eluant in ion exchange purification of ^{82}Sr 175
Hyphae
Of *Agaricus arvensis*: cadmium binding compounds 431
HZSM-5 (see Catalyst)
Imaging agent
Brain: synthesis and characterization of ^{99}Tc complexes 661
2,6-Di-isopropyl IDA: preparation and evaluation 35
Indium
Labelled platelet cells: application of sum peak method to study 123
^{111}In: use to label plasma proteins 1067
^{111}In chloride solution: determination of traces of Al, Cd, Cu and Fe 751
^{111}In oxine: conversion of trichloride by acid hydrolysis 70*
^{113m}In and ^{115m}In: half life 63*
Iodine
Decay study 1087*
Radio: liberation during labelling of iodoamphetamine 409†
Radio-iodine labelling by electrophilic exchange in aqueous solutions 921
^{122}I labelling of radiopharmaceuticals: evaluation of electrophilic iodometallation techniques 85

^{125}I: continuous measurement with a liquid scintillation counter 571*
^{125}I: standardization by photon–photon coincidence counting and efficiency extrapolation 763
^{131}I: removal from effluent by reverse osmosis 971
Iodoamphetamine
Exchange labelling: liberation of radioiodine 409†
m-Iodobenzylguanidine (MIBG)
^{123}I and ^{131}I labelling and quality control 303*
[^{125}I]Iodo ergoline derivatives
Synthesis and biodistribution 391
Iodomethylcyclopropane
^{11}C labelled: synthesis 949
1-(5-Iodo-2-thienyl)-cyclohexan-1-ol
Preparation and evaluation 641
1-(5-Iodo-2-thienyl)-cyclopentan-1-ol
Preparation and evaluation 641
17α-(5-Iodo-2-thienyl)-17β estradiol
Preparation and evaluation 641
17α-(5-Iodo-2-thienyl)-17β-estradol-3-0-methyl ether
Preparation and evaluation 641
Ionization chamber
Precision electronics 879
Ionization constant
Of radiopharmaceuticals and determination by HPLC 701
Ions
Heavy: response of soda glass detectors 967
Iopamidol (IOPA)
Electrophilic radioiodine labelling 921
Iron
Determination in $^{111}InCl_3$ solutions by flameless atomic absorption spectrometry (in French) 751
Effect on brown spotting in grey tobacco 553
^{59}Fe: efficiency functions by $4\pi\beta$–γ coincidence counting 793
Irradiation
Of beef with electrons and photons: measurement by induced radioactivity 507
[2-^{11}C]Isopropyl iodide
Use in synthesis of DL-[3-^{11}C]valine 655
Karl Fischer apparatus
For water determination in lyophilized radiopharmaceutical kits 992*
Krypton-81m generator
Use as zirconium phosphate sorbent 623
Lithium
Detection in ultra trace amounts by neutron activation analysis and mass spectrometry of ^{4}He 735
Magnesium
Effect on size of ^{99m}Tc(Sn)MDP constituents 251
Mass attenuation coefficient
Of β-particles: calculation 1027
Meat
Beef: measurement of induced radioactivity after electron and photon irradiation 507
Melantonin
^{11}C labelled: preparation 1073
Membrane
Cellulose acetate: use for reverse osmosis in removal of radionuclides from liquid streams 971
Mercaptoundecahydro-closo-dodeca borate(2-) anion
Use for boronation of antibodies 503
Methane
^{3}H labelled: characteristics of counter and activity measurement 379
Methanol
Study of conversion to hydrocarbons on HZSM-5 by radiogas chromatography 689
N-[Methyl-^{11}C]hydromorphone
Synthesis and optimization of radiochemical yield 651
Methyl iodide
^{11}C labelled: recommended production procedure 601
Methylene diphosphonic acid
Determination in labelling kits by thorium 158*
Metrizamide
Electrophilic radio iodine labelling 921

Metrology techniques
For radionuclides: ICRM seminar, Rome 15–16.6.87 Part 10
Micronucleus
Formation from radiation: efficacy for dosimetry 241
Molybdenum
Target for production of ^{82}Sr 171
^{99}Mo production in waste solutions: ^{235}U recovery 619
^{99}Mo: spot test for determining specific activity 149*
Monte Carlo calculations
Use of code ZTRAN for determining energy deposition in multilayer targets 349
Neutron
Absorption cross sections of geological samples 365
Activation analysis: use to determine trace elements in urinary stones 635
Am–Be and 14.1 MeV: response of LR 115 (Type III) on CR 39 plastic track detectors 943
Capture of ^{153}Eu in a reactor 513
Yields from actinide oxides 161†, 162†
Nickel
Powder: adsorption of phosphate ions 289
^{65}Ni: decay scheme data 907
Niobium
Determination of traces in geological samples by α-activation analysis 939
Nitrate solutions
Radiolysis in acid solution (in French) 517
Nitrogen
Gas target for high activity ^{11}C production 49
^{13}N: induced in meat by electron radiation 507
^{15}N: uptake rates by phytoplankton 275, Erratum 579
Nuclear power station
Tritium concentration in the environment 263
Opiate receptor system
Study and preparation of ^{11}C bupremorphine 65*
Osmosis
Reverse: use to remove radionuclides from liquid streams 971
Oxacillin
Sterilization by γ-rays 71*
Oxygen
^{15}O: current production methods in PET centres: review by EEC task group 579
^{18}O: analysis in mg samples of water 713
Palladium
^{100}Pd: targetry and radiochemical methods for cyclotron production 151*
^{102}Pd (n, 2n), ^{106}Pd(n, p), ^{108}Pd (n, 2n) and ^{110}Pd (n, 2n) cross sections 989*
^{109}Pd: radiation absorbed dose calculations for synoviotherapy 745
Paprika
Effect of radiation 209
Perchloroethylene
Decomposition of small amounts in water by radiation 911
pH
Effect on preparation of ^{99m}Tc labelled DMSA 13
Effect on size of ^{99m}Tc(Sn)EHDP complexes 615
Phosgene
^{11}C labelled: synthesis 297
Phosphate ion
Adsorption on nickel metal powder 289
Phosphor
MgB_4O_7:Dy:phototransferred thermoluminescence 313*
Phosphorus-32
Detection in scintillating plastic vials 311*
Photon
Beam: energy deposition in multilayer target 349
Detector: review of work 1975–1985 1
Large area source: calibration using a γ-ray spectrometer 865
Photosynthesis
Use to prepare ^{11}C glucose 475
Phytoplankton
Calculation of ^{15}N uptake rates 275; Erratum 579

Pine needles
Tritium content 255
Plant
Pine needles: tritium content 255
Tobacco, grey flue cured: relationship of iron to brown spotting 553
Trace element analysis: evaluation of fundamental parameters method 45
Plutonium
Alpha particle spectra: analytical function for fitting peaks 831
From sea sediment: α-track counting in cellulose film 295
Polymer
Thin conducting film: use as a source mount for $4\pi\beta$ counting 887
Polyvinylpyrrolidone
Radioprotection of sheep erythrocytes 147*
Positron annihilation technique
Use to study aggregate formation in an HDEHP–n-heptane system 681
Positron emission tomography (see Tomography)
Prostaglandin D_2 and F_2[^{11}C]methyl esters
Synthesis 647
Protein
Plasma: labelling with ^{111}In 1067
Radioiodination resulting in decreased thyroid uptake of radioiodine 1051
Proton
Beam penetration of nitrogen gas target with respect to production and specific radioactivity of ^{11}C 49
Irradiation of RbCl to produce ^{82}Sr 181
Pulse shape discrimination technique
Application to simultaneous counting of α and β particles 875
Use to improve precision and accuracy of ^{14}C measurements 869
Quencher
Effect of non-uniform distribution in concentration measurements by liquid scintillation counting 335
Radiation protection
Micronucleus assay: review 241
Radioactive decay (see also Decay)
NSB decay investigations of ^{82}Sr–^{82}Rb 195*
Partial decay scheme for ^{82}Rb 185
Scheme data for ^{65}Ni 907
Study on ^{123}I 1087*
Radioactive waste
Use of ^{99m}Tc tracer to determine ^{99}Tc 447
Radioisotope
"Proportional" source: determination of true net count rates 717
Radiolysis
Of aqueous ferric nitrilotriacetate complexes 985
Of nitrate solutions in acid (in French) 517
Radionuclide
Preface to proceedings of IRCM seminar (vii) **10**
Proceedings of ICRM seminar 15–16.6.87: techniques in metrology (ix) **10**
Removal from liquid streams by reverse osmosis 971
Radiopharmaceutical
Determination of ionisation constants in labelled sample 701
2,6,Di-isopropyl IDA: preparation and evaluation as biliary imaging agent 35
Labelling with ^{122}I: evaluation of electrophilic aromatic iodometallation techniques 85
Osteotropic, ^{99m}Tc labelled: effect of charge and tin ligand ratio on uptake 103
^{99m}Tc: comparison of chromatographic methods for purity determination 283
Radiotracer
Study of movement in washing machines 7
Rayleigh–Compton backscatter method
Use in analysis of binary alloys 139; Erratum 995
Reactor waste (see also Radioactive waste)
Measurement of ^{90}Sr by Cerenkov counting of ^{90}Y 953
Streams: measurement of ^{99}Tc 447
Rhodium-171m
Cyclotron production: targetry and radiochemical methods 151*
[^{103m}Rh]Rhodocene
Derivatives: separation from [^{103}Ru]ruthocene derivatives and organ distribution (in German) 67*

Rock
Thermal neutron absorption cross section 365
Rubidium
Chloride: proton irradiation to produce ^{82}Sr 181
^{81m}Rb sorption on zirconium phosphate 623
^{82}Rb: decay scheme study and dose measurements 185
^{82}Rb generator
Clinical uses 171, 227
Eluate: radioanalysis 219
Elution profiles: radioassay dosimetry 233
Essentials for nuclear medicine 205
^{82}Rb: half life determination 191
^{82}Rb: NSB decay scheme investigations 195
Ruthenium
^{97}Ru, cyclotron production: targetry and radiochemical methods 151*
^{103}Ru: removal from effluent by reverse osmosis 971
Samarium-153
Standardization 31
Sample
Environmental: routine α-spectrometry 399
Geological: thermal neutron absorption cross section 365
Liquid: preparation for external beam PIXE analysis 573*
Sampling
Selective method made easy (abs) 885
Scintillator
Liquid: effect of temperature on fluorescence 91
Liquid cocktails: comparison on performance of alkyl benzene and detergent based types 629
Solvent: effect of temperature on fluorescence 91
Sediment
Sea: plutonium content 295
Selenium
Isotopes: electrolytic separation from proton irradiated RbBr target 521
[^{75}Se]Seleno ergoline derivatives
Synthesis and biodistribution 391
[^{75}Se]L-Selenomethionine
Rapid chemical synthesis 59
Silica-32
Factors affecting measurements in water samples 1039
Sodium hypochlorite
Use to sterilize ^{82}Rb generator 227
[^{123}I]Sodium iodide
Quality control for thyroid scanning 927
Soil
Analysis: evaluation of fundamental parameters, methods by x-ray spectrometry 45
Erosion losses: estimation with fallout ^{137}Cs 451
Solar panel
Use as radiation monitor for scattered x- and γ-rays 1057
Solvent extraction
Of ^{235}U with TBP from fuel element waste solutions 619
Source
Beta: calibration for thermoluminescence dating of stoneware 575*
Mount: use of polymer film in $4\pi\beta$ counting 887
Photon: calibration with Ge- γ-ray spectrometer 865
"Proportional": determination of true-net count rate 717
Radiation: variation of efficiency for the extrapolation method in 4π(PC)–γ-coincidence counting 549
Spectrometer
Gamma ray: data acquisition system at ENEA 857
Ge γ-ray: use to calibrate large area photon source 865
NPL β-ray spectrometer: electron gamma coincidence system 839
4π(CsI/Tl) sandwich; use to measure 59.5 keV γ-ray emission rate of ^{241}Am 823
Spectrometry
Alpha: for routine analysis of environmental samples 399
Flameless, atomic absorption: use to determine traces of Al, Cd, Cu and Fe in $^{111}InCl_3$ solutions (in French) 751
Gamma ray: to determine the U concentration, correction to **37**, 1019, 323

Gamma ray: use in study of ^{82}Sr–^{82}Rb decay schemes 195
Liquid scintillation: use for simultaneous counting of α and β activities 875
Measurement of ^{3}He and ^{4}He to determine ultra traces of Li and B 735
Use to determine effect of irradiation spices 269
Spectroscopy
Beta- with liquid scintillation system: application in dosimetry of ^{90}Sr and ^{90}Y 455
Spice
Effect of irradiation on quality: spectrophotometric analysis 269
Standard
For labelling procedures in PET 587
Tartaric acid solution, ^{14}C labelled:determination of concentration by three methods 339
Standardization
Of ^{109}Cd
By 4π(LS) e–x coincidence method 777
By 4π(PC) e–x coincidence method 781
Of ^{67}Ga by live anticoincidence counting 787
Of ^{125}I by photon-photon coincidence counting 763
Of ^{201}Tl by $4\pi\beta$–γ coincidence method 771
Stoneware
Thermoluminescence dating: calibration of β dose 575*
Strontium
^{82}Sr
Half life determination 193
Production at Los Alamos National Laboratory from Mo 175
Production by proton irradiation of RbCl 181
^{82}Sr–^{82}Rb: NBS decay scheme investigations 195
^{85}Sr:impurity in ^{82}Sr 195
^{90}Sr:dosimetry and β spectroscopy with liquid scintillation systems 455
^{90}Sr:measurement in reactor wastes 953
N-Succinimidyl 3-(tri-n-butylstannyl)benzoate-iodinated
Use as protein iodination agent 1051
Sum peak method
Application to study of In labelled platelet cells 123
Surface
Contamination:accuracy of measurement and survey in U.K. hospitals 899
Synoviotherapy
Assessment of ^{109}Pd and ^{166}Ho 745
Target
Circulating [^{18}O]water for fluoride [^{18}F]production 979
Copper: use for production of ^{66}Ga 499
For production of labels in PET 587
Multilayer: energy distribution by electron, bremmstrahlung and ^{60}Co γbeams 349
Nitrogen gas: for high activity ^{11}C production 49
^{203}Tl: use to produce ^{201}Tl 1090*
Tartaric acid
^{14}C labelled: determination of concentration by three methods 339
Technetium
Complexes: determination of ionization constant in radiopharmaceuticals by HPLC 701
Generator: concept and evaluation 19
High activity generator 25
Hydroxyethylidene diphosphonate (HEDP) complexes: molecular weights 107
Standardization by efficiency tracing 695
^{99}Tc: measurement in low level radioactive waste with ^{99m}Tc tracer 447
^{99}Tc: oxidation state in complexes 479
^{99m}Tc complexes of NEP–DADT: synthesis and characteristics 661
^{99m}Tc diagnostic agents: comparison of chromatographic methods for purity determination 283
^{99m}Tc diethyldithiocarbamate DDC: comparison with ^{201}Tl DDC as brain imaging agent 665*
^{99m}Tc: use to study movement in washing machines 7
Tc–HEDP complexes: raman spectroscopic evidence for Tc oxo cores 569
^{99m}Tc–HEDP complexes: effect of reduction method composition 611
^{99m}Tc(Sn) EHDP complexes: effect of pH and EDHP concentration on size of complex 615
^{99m}Tc(Sn)MDP mixtures: effect of SnIV, Mg II and Ca II on size 251
Tetrachloro gold acid
Use in radioiodine labelling 921
Thallium-201
Correction factor for true activity 41

Diethyldithiocarbamate (DDC): comparison with ^{99m}Tc as brain imaging agent 665*
Production from ^{203}Tl targets 1090*
Standardization 771
Thallium-204
Use as an extended source of β rays (in French) 1079
Thickness
On-line measurement employing radiation beams: dynamic effect errors 527
Thienyl alcohols
Radio iodinated: preparation by radio iodostannylation and evaluation 641
Thorium
Complexometric titration with methylene diphosphonic acid 158*
^{232}Th: photoneutron and photofission cross sections using neutron capture γ-rays 561
Thrombin
^{111}In labelling and biochemical activity 1067
Thyroid
Scanning: quality control of ^{123}I NaI used 927
Tin
Hydrous(IV) oxide: evaluation as exchanger for ^{82}Rb generator 213
Sn(IV): effect on mean size of ^{99m}Tc(Sn) MDP mixtures 251
Tobacco
Grey, flue cured: relationship of iron to brown spotting 553
Tomography
EEC task group review of ^{15}O production methods 597
Positron emission
Effectiveness of ^{11}C labelled glycine 597
Standardization of labelling procedures 587
Trace elements
Determination in urinary stones by neutron activation analysis 635
Tritium
Calorimeter for activity measurement 845; Correction 1094
Content in pine needles 255
Electrolytic enrichment factors; statistical evaluation of variations 1013
Half life measurement by ^{3}He growth 959
Monitoring around a nuclear power station 263
Monitoring by liquid scintillation counting 492*
Tumour
Scintigraphic agents: synthesis and characterization of new ^{99}Tc and Pt agents 671*
Uranium
Concentration by γ-ray spectrometry 323; Correction 37, 1019
Equilibrium between ^{238}U and daughters in amang samples 143
^{234}U α spectra: analytical function for fitting peaks 831
^{235}U: recovery from waste solutions of fission ^{99}Mo production 619
^{238}U: photoneutron and photofission cross sections using neutron capture γ-rays 561
Urinary stone
Determination of trace elements by neutron activation analysis 635
DL-[3-^{11}C]Valine
Synthesis using [2-^{11}C]isopropyl iodid and treatment with D-amino acid oxidase 655
Vial
Plastic scintillation: use for detection of ^{32}P 311*
Washing machine
Load movement study 7
Water
Analysis for D and ^{18}O 713
Determination in lyophilised radiopharmaceutical kits 992*
^{18}O labelled: use for ^{18}F fluoride production 979
Perchlorethylene content: decomposition of traces by radiation 911
^{32}Si determination; factors affecting measurements 1039
Total body turnover measurement with deuterium 1007
Xenon-127
Activity: direct measurement with a $4\pi\gamma$ detector 767
X-ray
Fluorescence: evaluation of FPM and CRM for trace analysis in plants and soils 41
K_{α_1} and K_{β_1}: fluorescence cross sections of elements $73 \leqslant Z \leqslant 82$ 975
PIXE analysis: preparation of thin self supporting samples 573*
Scattered: use of solar panel as radiation monitor 1057

Yttrium-90
Cerenkov counting to determine ^{90}Sr in reactor waste 953
Dosimetry and spectroscopy with liquid scintillation systems 45
Use as an extended source of β rays (in French) 1079
Zirconium
$^{90}Zr(n, p)$ (n, α); $(n, 2n)$ $^{91}Zr(n, p)$ and $^{94}Zr(n, p)$ cross sections 989*
Zirconium molybdate gel
Evaluation as generator for ^{99m}Tc 19
Use as high activity generator 25
Zirconium phosphate
Use as absorbent in $^{81}Rb/^{81m}Kr$ generators 623
ZTRAN
Monte Carlo code: use in energy deposition calculations in multilayer targets 349